

ACKNOWLEDGEMENTS

I wish to acknowledge the great contribution of the Order of St John of Jerusalem, and in particular the late Sir Stephen Miller, the Hospitaller for supporting this study. I also wish to thank Dr Lee Chumbley, then Consultant at St John's and Mr Anthony Morgan, then the Warden of the Hospital at the time for their support. Also my thanks to my colleagues, in particular Dr Saleem Abu Atta, Consultant Anaesthetist, for all their support. This is in addition to all the ophthalmologist at SJOH in particular Drs Henry Backouse, Ziad Ja'ouni and Khaled Taqtaq, Consultant Ophthalmologists.

Special thanks also go to the team of the Blind School Survey in particular the late Miss Nafisa Jaber, Nawal Al-Baba and Maureen Jalili, together with all the nurses and paramedics who supported the work. Special thanks go to all the staff of St John's Hospital who proved such an excellent supporting team.

My deep gratitude and thanks to Mr Jabr Shaaban, then Social Worker at UNRWA Blind School, Gaza whose devotion to the school and the out-reach survey made possible the research; and also for his prime role in helping to raise funds to purchase the electrodiagnostic facilities for the hospital. My appreciation to the school staff for their support.

I also wish to thank Dr Peter Qumri, Consultant Surgeon at King Hussain Hospital, Beth Jala and Chairman of the Friends of the Sick Society in Bethlehem for his enormous help and in particular with public relations, and also thanks to the Hebron Friends of the Sick Society. A donation from the Pontifical Mission, through Father Andre Weller, enabled us to purchase red glasses for the retinal dystrophy cases and a generous donation by the Late Sami Al-Shawa towards the purchase of the electrodiagnostic machines for the hospital in support for the research.

Special thanks also to Professor David Smith, then Professor of Dental Radiology at Kings College Hospital, Denmark Hill for support on the dental work and his trips to Gaza to undertake dental screening. Also thanks to Mr Anthony Moore, then Consultant Ophthalmologist at Addenbrook's Hospital, Cambridge for his visit to Gaza and help in examining and advising on patients. Special thanks also to Professor Barrie Jay who encouraged me to pursue the research as an academic thesis.

Finally, I would also like to thank Professor Ian Grierson in Liverpool for his support and encouragement.